



#3  
D.M.  
1/10/02

**FIGURE 1** WEAR MEMBER WITH PIN-RETAINER  
RECEIVING HOLE




*Borden Ladner Gervais LLP / s.r.l.*

**FIGURE 2**    **PIN RETAINER WITH INTERNAL  
THREADS**




Borden Ladner Gervais LLP / s.r.l.

**FIGURE 3**      **PIN RETAINER READY FOR  
INSTALLATION IN WEAR MEMBER**




*Borden Ladner Gervais LLP / s.r.l.*




**FIGURE 4**  
**PIN-RECEIVING RECESS**  
**IN SUPPORT STRUCTURE**  
**FOR WEAR MEMBER**

**FIGURE 5** TURNABLE THREADED LOCK PIN WITH EXTERNAL  
THREADS AND RECESS FOR HEXAGONAL TURNING TOOL



**FIGURE 6**


**LOCK PIN READY FOR INSTALLATION IN WEAR  
MEMBER MOUNTED ON SUPPORT STRUCTURE**



CA 02312550 2000-06-27

*Borden Ladner Gervais LLP / s.r.l.*

**FIGURE 7** WEAR MEMBER MOUNTED AND LOCKED TO  
SUPPORT STRUCTURE, READY FOR USE



*Borden Ladner Gervais LLP / s.r.l.*

FIGURE 9




FIGURE 8

